

HANDHELD MONITOR INSTRUCTION MANUAL

know what you breathe

CONTACT

Address

706, 7th floor, Crown heights, Rohini Sec-10, New delhi-110085, India Phone

73918-73918

Online

Email : info@purelogic.in Website : www.pranaair.com


TABLE OF

CONTENTS


SECTION 01 GETTING STARTED : KNOW YOUR HANDHELD MONITOR	PAGE 4
SECTION 02 GSM CONNECTIVITY STEPS	PAGE 6
SECTION 03 CONNECTING THE MONITOR TO THE AQI APP	PAGE 8
SECTION 04 RS485 CONNECTIVITY STEPS	PAGE 13
SECTION 05 HOW TO LOG IN/ SIGN UP?	PAGE 16
SECTION 06 SAFETY GUIDE	PAGE 21
SECTION 07 SAFETY AND MAINTENANCE	PAGE 23
SECTION 08 SERVICE GUIDELINES	PAGE 25

WHAT'S INSIDE


THE BOX



Handheld Monitor








Micro USB Cable

Getting Started: Know your Handheld Monitor

General information about the product that explains the basic functionalities of the device.





1. Micro SD Card Slot

2. USB Power Supply

3. RS-485 Slot

4. GPS Antenna Slot

5. Micro SIM Card Slot

6. GSM Antenna Slot


7. Fan

GSM Connectivity

GSM connectivity enables remote monitoring and data transmission, providing real-time updates on air quality levels and alerts, even in areas without Wi-Fi access.





Insert the Micro SIM card in the slot (according to the direction given below).



NOTE:

This device supports Airtel or Vodafone SIM cards.





Option 2: The user can also plug the monitor into a power bank, which allows them to carry the monitor with them.




Connecting the monitor to the AQI App


The AQI app serves as a platform for easy access to the data collected by the device.




Install the AQI App and open it. Allow all the permissions accordingly.




2 Click on "My Devices" to Sign up for creating a new account or Log in if you already have one. For Login/ Sign up procedure, refer to Page 16.




Once logged in, Go to "My Devices" and then click on the "Add" button.




Then select "Handheld Monitor" under the 'Choose your Device' section.




Enter the device ID present at the bottom side of the monitor and click 'Next'.



Add all the necessary details and then click on the "Setup" button.




- Your device is added successfully. You can see your added devices under "My Devices" section of the AQI App. Check device online status after 5 mins. If offline, verify power source, SIM card orientation and data availability.
 - NOTE: My Location My Devices Please ensure the device is successfully added to the AQI app and has established an online connection. 1/1 ONLINE DEVICES Add All 🕶 Handheld AQI-IN:81 Handheld Status: AQI-IN:81 **Device Online** Handheld Status: AQI-IN:81 **Device Offline**
- Click on your device card in "My Devices" to get a detailed view of the monitored data. Click on the "Edit button" to edit the details of the device.




RS 485 Connectivity

RS-485 allows for more efficient data transmission and management.


Pull out the green plug from the bottom of the monitor.




3 Insert the plug back into the device.



Insert positive and negative part as mentioned on the plug.



The handheld monitor can be used in following two ways:





Now, follow the RS485 mapping details given below:

Baud Rate: 9600
Parity: None

Data Bit: 8 Bit
Stop Bit: 1

Address (Holding Register)


40001	PM2.5	µg/m³
40002	CO ₂	PPM
40003	Temperature	°C
40004	Humidity	%
40005	PM1	μg/m³
40006	PM10	μg/m³
40007	SO ₂	PPB
40008	CO	PPB
40009	NO ₂	PPB
40010	O ₃	PPB
40033	H ₂ S	PPB

How to log in/ sign up?


To provide access control, track monitored data, personalize the experience, and facilitate communication between users and the devices.

Sign Up:


Install the AQI India app on your smartphone.




Open the app and click on "My Devices" from the top right corner of the screen.




Click on the "Create New Account" button.



Add the necessary details. Click on the checkbox after reading all the terms and conditions and privacy policies. Then click on the "Sign Up" button.




Your account is created. You will be redirected to 'My Devices' section where you can add different devices.




Login:


Open the app and click on "My Devices" from the top right corner of the screen.



Enter your credentials and then click on the "Log in" button.



4 You have now successfully logged in to your account. You can easily add devices and check the data remotely 24*7.



Safety Guide

To ensure safe and proper usage of this product, please refer to the following safety guide before operating the device.

- Read the manual carefully: Read and follow the user manual before using the device.
- 2 The housing on the device is not weatherproof.
- Orecautions for potential hazards: Take appropriate precautions if you are aware of any potential hazards or risks related to the specific environment you are monitoring.
- Preventive measures: If the gadget detects high levels of pollutants or other potentially hazardous substances, take precautionary measures such as opening windows or leaving the area.
- Accessories: The user has the option to use an alternative adapter (with the same power rating) and USB cable.

NOTE:

The user can also opt for an alternative 5V/2.5A adapter.

Safety and maintenance

The safety and maintenance section of this product manual provides important information on how to use and maintain the device in a safe and reliable manner.

- Having a comprehensive understanding of the safety and maintenance instructions for the device can enable you to use the device more safely and efficiently, and help to extend its lifespan as much as possible.
- Make sure to turn on the device properly.
- The adapter is not waterproof. Keep it in an enclosed waterproof enclosure to prevent corrosion or shocks.
- If the air quality monitor is not functioning properly, do not attempt to repair it yourself.
 Contact us to diagnose and repair any issues
- Store the air quality monitor in a cool, dry place when not in use. This will help increase the shelf life of the device.
- 6 Do not drop, shake, or knock the device. Violent usage may damage the internal circuitry.
- Do not paint the device with paints or other chemicals. It may affect the accuracy and normal operation of the device.

Service Guidelines

This section outlines the recommended maintenance procedures and service requirements for ensuring the optimal performance and longevity of the device.

A. Warranty Terms

- The device comes with a 1-year warranty against manufacturing defects.
- 2 A valid proof of purchase is required to be eligible for repairs or replacements.
- 3 Warranty will be void in case of physical damage.

B. Sending and Retrieving the Device for Repair

- 1 The customer must provide the necessary information, such as name, contact number, and fault description, to complete the repair work order.
- 2 If payment is made by cheque, the device can only be retrieved after the cheque has cleared."

C. Warranty Description

- The warranty will not be covered in the following scenarios:
 - 1.1. Warranty period has expired.
 - 1.2. No valid proof of purchase is provided.
 - 1.3. The product on the valid proof of purchase is different from the actual product or the proof of purchase has been altered.
 - 1.4. The device is damaged due to improper usage or maintenance.
 - 1.5. The device has been repaired or disassembled by an unauthorized person.
 - 1.6. Damages due to force majeure.
- 2 Both national and international services can be availed only at Prana Air's office.
- All replaced parts, components, and accessories during warranty services will be kept by the Prana Air service center.



Visit us:

www.pranaair.com