

# SENSIBLE+ MONITOR

# **INSTRUCTION MANUAL**

---

*know what you breathe*

---

## **CONTACT**

### **Address**

706, 7th floor, Crown  
heights, Rohini Sec-10,  
New delhi-110085, India

### **Phone**

73918-73918

### **Online**

Email : [info@purelogic.in](mailto:info@purelogic.in)  
Website : [www.pranair.com](http://www.pranair.com)

---

---

# TABLE OF **CONTENTS**

SECTION 01 | GETTING STARTED : KNOW YOUR SENSIBLE+

**PAGE 4**

SECTION 02 | CONNECTING THE MONITOR TO THE WIFI

**PAGE 9**

SECTION 03 | CONNECTING THE MONITOR TO THE AQI APP

**PAGE 12**

SECTION 04 | HOW TO LOG IN/ SIGN UP?

**PAGE 18**

SECTION 05 | SETUP

**PAGE 24**

SECTION 06 | SAFETY GUIDE

**PAGE 27**

SECTION 07 | SAFETY AND MAINTENANCE


**PAGE 29**

SECTION 08 | SERVICE GUIDELINES

**PAGE 31**

---


WHAT'S INSIDE  
**THE BOX**




SENSIBLE+ Monitor



Adapter



USB Cable



Wall mount





Table Stand

# Getting Started : Know your Sensible+

---

General information about the product that explains the basic functionalities of the device.



## For your reference :

1. Average outdoor air quality of any city/location

2. Indoor air quality data


3. ON/OFF Switch

4. 5V DC Type-C Power supply

5. Micro SD Card slot

6. Table Stand

- 1 Connect the Monitor to a power source with the cable and adapter. Turn on the monitor with the help of a push button on the ride side. Push up to turn it on and push down to turn the monitor off.




- 2 SENSIBLE+ Air quality monitor detects parameters AQI, PM2.5, PM1, PM10, CO2, HCHO, TVOC, Temperature, and Humidity.



- 3 There is a WiFi icon on the top of the screen. Once it is connected to a WiFi network, it will turn green. (Refer to Page 9)





- 4 If you click a specific parameter from indoor air quality parameters, you can view a real-time line graph that displays the monitored data.



- 5 The device supports MicroSD card (storage up to 8 GB). When you insert the SD card in the device, 'TF' (Trans-Flash) will be displayed on the screen. It indicates that it supports MicroSD Card. Monitored data is stored in the CSV file format.




- 6 To access the device's settings, click on the 'Settings icon' on the monitor. A screen will pop up to access the settings. Enter the password "admin" and then click the "Enter" button.



## Settings :

The user can Set Time (after entering the values click on the "Set Time" button)

The User can Set Date (after entering the values click on the "Set Date" button)



The user can select the "Auto" option to automatically set the backlight or enter the Backlight percentage manually.

Choose the Temperature unit (°C or °F).

User can change the password 'admin' of the device, click on "Set Password" in the settings tab.



# Connecting the monitor to the WiFi


---

Connecting the device to a WiFi network will enable the user to view the monitored data remotely.

- 1 Click on the WiFi icon on the monitor screen. A pop-up will appear with the Device ID and QR code.




- 2 Now go to your mobile's WiFi settings and search for "Air Monitor\_(your device ID)". Connect to it using the password : "12345678".




**3** A pop-up and/or a notification might appear.


**3.1** If the pop-up fails to appear, click on the notification instead.




**3.2** Select the "Don't ask again" option, followed by clicking the "Yes" button.




- 4 Once connected, open your internet browser and type "192.168.4.1" on your address bar.



- 5 Now select your WiFi network on the SSID drop-down bar and enter the WiFi password. If you don't find the WiFi network, click on the refresh button.




- 6 Click on "**Connect**". A new pop-up window will appear that will display that the device is connecting. Wait till you see the message "**The network is connected**".



## NOTE :

The "**WiFi icon**" on the monitor will turn green after the WiFi network is connected.






# Connecting the monitor to the AQI App



---

The AQI app serves as a platform for easy access to the data collected by the device.


**1** Install the AQI App and open it. Allow all the permissions accordingly.




**2** Click on "My Devices" to Sign up for creating a new account or Log in if you already have one. For Login/ Sign up procedure, refer to Page 20.



- 3 Once logged in, Go to "My Devices" and then click on the "Add" button.



- 4 Then select "Sensible+" under the 'Choose your Device' section.





- 5 Enter the device id or Scan the QR code displayed on the device. You can go to the device settings for the device ID as well.

← Enter Your Device Id

● ● ● ○

Enter Device ID

Device Id

OR

Scan Qr Code

Next

- 6 Add all the necessary details and then click on the "Setup" button.

← Configure your Device

● ● ● ●

Pick a network to connect your hardware and Name your device

DEVICE ID XXXXXXXXXXXXXXXXX

DEVICE TYPE Indoor

DEVICE NAME

Sensible +

Select Location Office

Enter Location Home


Country India

State Delhi

City New Delhi

Setup

**7** Your device is added successfully. You can see your added device under the **"My Devices"** section of the AQI App. Check the device's online status after 5 minutes. If offline, verify the power source, and WiFi connection.



**NOTE:**

Please ensure the device is successfully added to the AQI app and has established an online connection.


Status :  
Device Online



Status :  
Device Offline



**8** Click on your device card in "My Devices" to get a detailed view of the monitored data. Click on the **"Edit button"** to edit the details of the device.



**NOTE :** The device will continue to display as online for 30 minutes even after going offline.

## Change outdoor location on Sensible + :

- 10 Click on the **"Edit button"**, scroll down the 'Edit Device' page. Under 'Select Outdoor Monitor' Choose the location you want to display on Sensible +. Click on the **"Save"** button.

**Edit Device**

Kishan pura

Country: Office | State: Home

City: New Delhi

**SELECT OUTDOOR MONITOR**

Country: India | State: Delhi

City: New Delhi


Select Monitor: New Delhi

Pin code

LOCATE ON MAP

Save | Remove Device

- 11 The device would now display the selected outdoor location (In case it doesn't change itself, restart the device).




# How to log in/ sign up?

---


To provide access control, track monitored data, personalize the experience, and facilitate communication between users and the devices.

## Sign Up :

- 1 Install the AQI India app on your smartphone.



- 2 Open the app and click on "My Devices" from the top right corner of the screen.



- 3 Click on the "Create New Account" button.

←

**AQI**

### Log In

Please log in to your account to continue with AQI App.

Email Address

Enter email address

Password

Enter password

Remember me

**LOG IN** [Forgot password?](#)

**Create New Account**

- 4 Add the necessary details. Click on the checkbox after reading all the terms and conditions and privacy policies. Then click on the "Sign Up" button.

←

**AQI**

### Create Account

Please sign up to your account to continue with AQI App.

Username

Enter username

Email Address

Enter email address

Password

Enter password

Mobile No


91+ Enter mobile

Yes, I agree with AQI [Terms of Use](#) and [Privacy Policy](#)

**SIGN UP**


**Already have an account**

- 5 Your account is created. You will be redirected to 'My Devices' section where you can add different devices.




## Login :

- 1 Open the app and click on "My Devices" from the top right corner of the screen.




- 3 Enter your credentials and then click on the "Log in" button.



The screenshot shows the AQI app's login screen. At the top left is a back arrow. Below it is the AQI logo. The title "Log In" is centered. A message reads: "Please log in to your account to continue with AQI App." There are two input fields: "Email Address" with the placeholder "Enter email address" and "Password" with the placeholder "Enter password" and a toggle icon. Below the password field is a "Remember me" checkbox. At the bottom left is a "LOG IN" button, and to its right is a "Forgot password?" link. At the very bottom is a "Create New Account" button with a person icon.

- 4 You have now successfully logged in to your account. You can easily add devices and check the data remotely 24\*7.



The screenshot shows the "My Devices" screen in the AQI app. At the top, there are two tabs: "My Location" and "My Devices". Below the tabs, it displays "0/0 ONLINE DEVICES" and an "Add" button. A dropdown menu shows "All". In the center, there is a magnifying glass icon with a sad face, and the text "No devices yet!". Below this, a message says: "Add your selected type devices by tapping the button on the top right. Your saved devices will be listed here." At the bottom, there is a navigation bar with icons for a globe, a speech bubble, a person profile (which is highlighted), a shopping cart, and a bar chart.



# Setup


---

The setup process will guide you on how to setup your Sensible+ monitor in order to measure and monitor air quality levels in your surroundings.


Open the box and remove all parts and components. The box comes with a table stand and a wall mount. The user can either use the monitor with the table stand or the wall mount.

## Table stand:


- 1 Determine where you want to place the air quality monitor and table stand. Make sure the surface is stable and can support the weight of the monitor.
- 2 Look for the mounting point at the bottom of the air quality monitor.
- 3 Carefully insert the table stand into the mounting point on the bottom of the air quality monitor.
- 4 Once the table stand is securely attached to the air quality monitor, adjust the angle of the monitor to the desired position.



Insert the stand into the hole and then push it in the upward direction.



With Stand




Without Stand


**NOTE :** It is recommended not to place the monitor in a vertical position without the table stand as it may fall, and cause damage to the screen and sensors.

## Wall mount bracket:


- 1 Choose an ideal location to mount the air quality monitor on the wall.
- 2 Check the wall to ensure that it is stable and can support the weight of the air quality monitor.
- 3 Assemble the mounting bracket and ensure that all components of the mounting bracket are securely attached.
- 4 Use appropriate mounting hardware, such as screws or bolts, to attach the mounting bracket to the wall. Make sure that the bracket is level and secure.
- 5 Carefully secure the monitor into the mounting bracket that is attached to the wall.
- 6 Once the air quality monitor is mounted and connected to the power supply, turn it on to check and monitor live air quality data.
- 7 Once the monitor is in the desired position, check that it's stable and not wobbling. This will ensure that it won't fall or get damaged.



Mounting bracket



Screws



# Safety Guide

---

To ensure safe and proper usage of this product, please refer to the following safety guide before operating the device.

- 1 Read and follow the user manual before using the device.
- 2 Avoid exposing the device to extremely high temperature and humidity.
- 3 To avoid damage, keep the device away from water and other liquids. It can damage the device.
- 4 Take appropriate precautions if you are aware of any potential hazards or risks related with the specific environment you are monitoring.
- 5 **Preventive measures:** If the gadget detects high levels of pollutants or other potentially hazardous substances, take precautionary measures such as opening windows or leaving the area.
- 6 When connecting to the wifi network and the AQI app, kindly read the instructions carefully.
- 7 **Use Prana Air repair services only:** It is important to only use our repair services to fix the device.
- 8 To extend the battery life of the device, make sure to turn it off when not in use.
- 9 **Accessories:** The user has the option to use an alternative adapter (with the same power rating) and USB cable.

**NOTE:**

The user can also opt for an alternative 5V/2.5A adapter.

# Safety and maintenance

---

The safety and maintenance section of this product manual provides important information on how to use and maintain the device in a safe and reliable manner.

- 1 Having a comprehensive understanding of the safety and maintenance instructions for the device can enable you to use the device more safely and efficiently, and help to extend its lifespan as much as possible.
- 2 Make sure to turn on the device properly and assemble its accessories correctly.
- 3 The device is not waterproof. Please keep it and all the accessories dry.
- 4 The battery life of the air quality monitor should be monitored regularly. Charge the device as needed to ensure accurate readings.
- 5 If the air quality monitor is not functioning properly, do not attempt to repair it yourself.
- 6 Store the air quality monitor in a cool, dry place when not in use. This will help prevent damage to the device and extend its lifespan.
- 7 Do not drop, shake, or knock the device. Do not use the device without the table mount or wall mount. Violent usage may lead to screen breakage or damage the internal circuitry.

# Service Guidelines

---

This section outlines the recommended maintenance procedures and service requirements for ensuring the optimal performance and longevity of the device.



## A. Warranty Terms

- 1 The device comes with a 1-year warranty against manufacturing defects.
- 2 A valid proof of purchase is required to be eligible for repairs or replacements.
- 3 Warranty will be void in case of physical damage.

## B. Sending and Retrieving the Device for Repair

- 1 The customer must provide the necessary information, such as name, contact number, and fault description, to complete the repair work order.
- 2 If payment is made by cheque, the device can only be retrieved after the cheque has cleared.

## C. Warranty Description

- 1 The warranty covers only the device and its accessories under normal usage. No warranty will be provided if the device is damaged due to any of the following reasons:
  - 1.1. Warranty period has expired.
  - 1.2. No valid proof of purchase is provided, or the purchase date is beyond the warranty period.
  - 1.3. The content on the valid proof of purchase is different from the actual product or has been altered.
  - 1.4. The device is damaged due to improper usage or maintenance.
  - 1.5. The device is damaged due to moisture, liquids, or falling, or has been repaired or disassembled by an unprofessional.
  - 1.6. Damages due to force majeure.
  - 1.7. Normal wear and tear (*such as outer cover, buttons, and screen*).
- 2 Both national and international services can be availed only at Prana Air's office.
- 3 All replaced parts, components, and accessories during warranty services will be kept by the Prana Air service center.



Prana Air

**Visit us :**

[www.pranaair.com](http://www.pranaair.com)