

know what you breathe

AMBIENT PM INSTRUCTION MANUAL

WIFI Connectivity

CONTACT

Address

706, 7th floor, Crown heights, Rohini Sec-10, New delhi-110085, India Phone

+91) 73918-73918

Online

Email : info@purelogic.in Website : www.pranaair.com

TABLE OF CONTENTS

SECTION 01 GETTING STARTED : KNOW YOUR AMBIENT PM	PAGE 5
SECTION 02 CONNECTING THE MONITOR	PAGE 7
SECTION 03 ADDING THE MONITOR IN THE AQI APP	PAGE 12
SECTION 04 SAFETY GUIDE	PAGE 20
SECTION 05 SERVICE GUIDELINES	PAGE 22

WHAT'S INSIDE **THE BOX**



Device **Do's and dont's**

- 1 Set up the monitor in an area with good air circulation and avoid direct airflow outlets like vents, windows etc.
- 2 Always use the power adapter that comes with the device to ensure compatibility and internal components damage prevention.
- 3 Don't blow directly on the sensor outlets because it can inaccurate readings and potentially damage sensitive sensors.
- 4 Never covers the air inlet of the monitor which can affect the accurate air sampling.

Getting Started : Know your Ambient PM

General information about the product that explains the basic functionalities of the device.





1. Display

2. Air IN, Temp, 3. PM Inlet 1 4. Weather Station Inlet Humidity & Noise 5. PM Inlet 2 6. Mode Button 7. WiFi button 8. SD Card Slot 9. DC Power Inlet

Connecting the monitor

Effortlessly add your air quality monitoring device to the app for uninterrupted access to real-time air quality data.













QR code and **Device ID** will appear on the screen.



Adding the Monitor in the AQI APP

Proceed to integrate the monitor with the app after successfully establishing the network connection. Follow these steps to add the monitor to the app and access remote data viewing.





Download and install the AQI App on

your phone (available on Google Play Store for Android and the App Store for iOS). After installing, open the app and allow all the necessary permissions.





Then, Click on **"Devices"** icon showing in the bottom of home screen. Then **Sign up** to create your account or **Log in** if you already have an account.

4:19		×	ै , 0	4:19		¥ ⋽ 0∎
≡ ₿	AQI	Q	Û	<	AOľ	
Your Locat	ion	-	\bigcirc			
Your City	r : 0.9 Km	·	0		Real Time Air Quali	ity Index
Nearest Monitor	1.0.0 KIII			Login	Signup	
 Live AQI 		Air Quality	is	Login	Signup	
24		Good		Enter you	ır email	
		DM40 22				
Good Mode	µg/m³ erate Poor Unhealth	PMIU: 23	uzardous	Enter you	ır password	
0 50	100 200 :	300 400	500+			
		(Kememb	er me	Forgot Password
	35 °c	Sunny			Login	
°() 11 %	√ 11 km/hr	WV 43			5	
	Last Update: 6 min a	ago			Or	
					G Continue with C	Google
			r il		() Continue with Fa	acebook
Weather I	Forecast	lourly C	Daily		🗯 Continue with A	pple Id
<u></u>	9 , 9,	÷.	<u>_</u>		Don't have an accoun	t? Signup
n (<u> </u>	Ш			
Home M	lap Devices	Buy	Ranking			



After successful login, Tap on **"Devices"** and then click on the **"Add Device"** button.



Then select "Ambient PM" in the 'Select your Device' section







Select your preferred connectivity type for the monitor: **Wi-Fi or GSM**.



After selecting **"Ambient PM"**, you will redirect to the pairing mode. It is to connect your device to the WiFi so press **"Next"**.

4:19			¥ € 0 ∎
	Pleas Connec	e Choose ctivity Type	
	Would you with W	ı like to connect /ifi or GSM ?	- 1
	 Wifi 	⊖ gsm	
		Next	

4:19 ★ Stop Of Contract of Co

Step 1:

Follow these steps to put your monitor into pairing mode.



Press the black "PWR" button to power on the device. Then, press and hold the "WiFi" button next to the power button. The QR code and Device ID will appear on the screen.



NOTE:

If your device is already paired with Wi-Fi, you can choose <u>"Skip Pairing Steps"</u> to proceed directly to the device setup steps.



Select "Click to Open Wi-Fi Settings," and it will take you to your Wi-Fi settings screen.



Next, search for "Air Monitor_(your device ID)" in the available networks. Use "12345678" as the password to connect.





Afterward, return to the app and choose the option **"Click To Open '192.168.4.1.'"** This will launch the page in your internet browser.

Wifi Configuration Step 3: Connect to your WiFi Network Open your internet browser, enter "192.168.4.1" in the address bar, select your WiFi network from the drop-down menu, enter the WiFi password, click "CONNECT" and wait for the message "The network is connected." Click To Open " 192.168.4.1"	:19	¥ 奇 O I	
Step 3: Connect to your WiFi Network Open your internet browser, enter '192.168.4.1" in the address bar, select your WiFi network from the drop-down menu, enter the WiFi password, click "CONNECT" and wait for the message "The network is connected." Click To Open " 192.168.4.1"	<	Wifi Configuration	
Open your internet browser, enter "192.168.4.1" in the address bar, select your WiFi network from the drop-down menu, enter the WiFi password, click "CONNECT" and wait for the message "The network is connected." Click To Open " 192.168.4.1"	Step 3 Netwo	3: Connect to your WiFi ork	
Click To Open " 192.168.4.1"	Open yo " 192.1 WiFi ne the WiF wait for connec	our internet browser, enter 68.4.1" in the address bar, select your stwork from the drop-down menu, enter Fi password, click "CONNECT" and the message "The network is cted."	
	C	Click To Open " 192.168.4.1"	

6	4
	_

Then you'll be redirected to a page with **SSID and password.** In the SSID drop-down select your WiFi network that has a secured data connection and then enter the password of your WiFi connection. To connect click on **"connect"**.

4:19		¥ 🗟 O 🖡
X https://	/192.168.4.1	• •
Please select 1	he WiFi network and enter i	ts password
ID : X		xx
SSID	Your Wi-Fi Network	Refresh
Password	*****	
Clo	se Conne	ect

NOTE:

Click the refresh button if your WiFi network is not showing.



After few seconds, A new pop-up window will appear that will display that the device is connecting. Wait till you see the message **"The network is connected".**



Then open the app again in your smartphone. Then press **"Yes, connected"** if you been able to connect to your personal Wifi Network.





After successful connection, your Device ID will submit automatically. You can also check it and after filling it correctly click on **"Next".**



On the next step, Add all the necessary details and then click on the **"Save"** button.





Your device is added successfully. You can see your added device under the **"My Devices"** section of the AQI App. Check the device's online status after 5 minutes. If offline, verify the power source, and WiFi connection.



 \bigcirc

Map

ω

Home

•

Devices

Ð

Buy

+ Add



Click on your device card in **"My Devices"** to get a detailed view of the monitored data.



NOTE: The device will continue to display as online for 30 minutes even after going offline.



After completing all the steps and connecting the monitor to Wi-Fi, **restart** the device by pressing the power button.



When you return to the device, you will notice the **Current time & date and Wi-Fi** displayed at the top of the screen. If the **Wi-Fi** is not visible, it indicates there is no connection. Repeat the previous steps to ensure the network is properly established.

12



Safety Guide

To ensure safe and proper usage of this product, please refer to the following safety guide before operating the device.



- Read and follow the user manual before using the device.
- 2 Avoid exposing the device to extremely high temperatures, and humidity. And Make sure to turn on the device properly.
- 3 To avoid damage, keep the device away from harmfull liquids. It can damage the device.
- 4 Take appropriate precautions if you are aware of any potential hazards or risks related to the specific environment you are monitoring.
- 5 Preventive measures: If the gadget detects high levels of pollutants or other potentially hazardous substances, take precautionary measures such as opening windows or leaving the area.
- 6 When connecting to the wifi network and the AQI app, kindly read the instructions carefully.
- 7 It is important to only use Prana Air repair services to fix the device. If the air quality monitor is not functioning properly, do not attempt to repair it yourself.
- 8 Accessories: The user has the option to use an alternative adapter (with the same power rating) and USB cable.
- 9 Store the air quality monitor in a cool, dry place when not in use. This will help prevent damage to the device and extend its lifespan. Do not drop, shake, or knock the device. Violent usage may damage the screen or the internal circuit.

Service Guidelines

This section outlines the recommended maintenance procedures and service requirements for ensuring the optimal performance and longevity of the device.



A. Warranty Terms

1 The device comes with 6 Months warranty against manufacturing defects.

- 2 A valid proof of purchase is required to be eligible for repairs or replacements.
- 3 Warranty will be void in case of physical damage.

B. Sending and Retrieving the Device for Repair

The customer must provide the necessary information, such as name, contact number, and fault description, to complete the repair work order.

If payment is made by cheque, the device can only be retrieved after the cheque has cleared.

C. Warranty Description

1 The warranty covers only the device and its accessories under normal usage. No warranty will be provided if the device is damaged due to any of the following reasons:

1.1. Warranty period has expired.

- 1.2. No valid proof of purchase is provided, or the purchase date is beyond the warranty period.
- 1.3. The content on the valid proof of purchase is different from the actual product or has been altered.
- 1.4. The device is damaged due to improper usage or maintenance.
- 1.5. The device is damaged due to moisture, liquids, or falling, or has been repaired or disassembled by an unprofessional.
- 1.6. Damages due to force majeure.
- 1.7. Normal wear and tear of the device (such as outer cover, buttons, and screen).
- 2 Both national and international services can be availed only at Prana Air's office.
- 3 All replaced parts, components, and accessories during warranty services will be kept by the Prana Air service center.



